



Pallettizzatore Cartesiano

Cartesian Palletizing



ROBOEASY 2000





Possibilità di pallettizzare da più punti di prelievo con prodotti provenienti da linee di insacco diverse, in uno o più punti di pallettizzazione, anche su palette direttamente posate a terra. Ingombri estremamente ridotti, che ne permettono l'installazione anche in realtà produttive ove altrimenti sarebbe impossibile il posizionamento di un pallettizzatore di altro tipo. Tutti i nostri pallettizzatori sono dotati di un sistema di gestione controllato da software di semplice utilizzo e di facile apprendimento: Il cambio formato ed il cambio programma sono richiamabili in tempi rapidissimi.



Possibility to palletize from multiple picking points with products coming from different bagging lines, at one or more points of palletizing, even on pallets directly laid on the ground. Extremely small dimensions, which allow installation even in productive realities where otherwise it would be impossible to placement of another type of palletizer. All our palletizers are equipped with a management system Controlled by easy-to-use and easy-to-learn software: The format change and the program change can be called up in time very fast.

DATI TECNICI DATA SHEET	ROBOEASY 2000
Peso Weight	1000 kg
Alimentazione elettrica Power supply	400V-50Hz 3Fasi+Te+N
Motori assi Axis motors	Brushless
Livello di emissione sonora Sound emission level	< 83 dB
Dimensioni Max. Bancale Max. pallet dimensions	1000 mm x 1200 mm
Altezza bancale Pallet height	Max 2200/2400
Presca singola/doppia Single/double socket	Max 300/600/h
Peso presa Socket weight	Max. 25 kg



SOFTWARE



Software gestione "Smart-Setup" che permette, impostando dimensione scatola e pallet, la creazione in autonomia in pochi minuti dello schema/ricetta di pallettizzazione.



"Smart-Setup" management software that allows, by setting box and pallet size, the creation of the palletizing scheme/recipe independently in a few minutes.



Viale J.F Kennedy, 188
50038 Scarperia e San Piero | Florence | Italy
Tel: +39 055 84 30 571 | VAT IT05839550489



VISITA IL SITO WEB

 www.sintesicom.it

 sintesi@sintesicom.it